

PRAISTON Sp. z o.o. ul. Górowska 32 64-100 Leszno Polska Biuro: +48 65 527 01 67 Serwis:+48 782 844 000 Fax: +48 65 527 01 67

E-mail: biuro@praiston.pl

Koordynator ds. sprzedaży Krzysztof Wybieralski +48 882 762 006

kw@praiston.pl



NBV 30 P LW germicidal lamp (New)

- · A brand new product,
- · Made in Poland,
- NBV 30 PLW direct acting germicidal lamp with 4-field display timer,
- It is equipped with a digital counter with a microprocessor having a 4-field LED display, with acoustic signaling when the lamp is replaced,
- Irreversibly deactivates bacteria, viruses, molds, fungi and all other microorganisms,
- In addition, it has a high-quality reflector made of reflective aluminum,
- Turning the lamp on for just 20 minutes brings a rapid air disinfection effect between treatments.

• The use of the device:

- · Medical institutions,
- Hospitals,
- · Pharmaceutical industry,
- Food industry,
- Cosmetics industry,

Advantages of NBV 30 P LW germicidal lamp:

- Mounting method: M mobile on tripod,
- Counter type: LW digital counter with a microprocessor equipped with a 4-field LED display. It audibly signals the moment of replacing the radiator. You can independently connect this model to previously purchased direct-acting lamps and flow lamps,
 - Emitted radiation: UV-C with a wavelength of 253.7 nm,
 - The device has all the required certificates; while its effectiveness is confirmed by numerous studies and tests,
- Purpose: the lamp is ideal for the use in hospital rooms, treatment rooms, operating rooms and in the cosmetic, pharmaceutical and food industries.
 - The result of using this device is to increase the level of microbiological purity of the premises,
 - · Thanks to this direct action lamp, bacteria, viruses, molds, fungi and other microorganisms are irreversibly deactivated,
 - The air and surface in the room where this device has been used are effectively disinfected,
 - The high quality reflector is made of reflective aluminum,

· Technical data:

- The lamp is placed on a mobile tripod,
- Supply voltage: 230 V 50 Hz,
- Power consumption: 33 W,
- UV-C emitting element: 1 x 30 W,
- UV-C irradiance at 1 m distance: 2.3 W / m2,
- Radiant life: 9000 h,
- o Disinfectable area: 12 15 m2,
- Lamp rotation (exposure angle can be adjusted): 270°,
- Anti-schock safety class: I,
- Case type: IP 20,
- Operation type: continuous,
- Chamber's dimensions: 960 x 85 x 135 mm,
- Chamber's weight: 3 kg,
- The extension's length: 1800 mm,
- · Counter type: with 4-field display,
- It has a valid Technical Passport,
- · Guarantee: 12 months,



www.praiston.pl